






The information contained in this drawing is the sole property of CWS Coil Winding Specialist. Any reproduction in part or whole without written permission of CWS Coil Winding Specialist is prohibited.

REVISION HISTORY

REV	ECN	DESCRIPTION	DATE	BY	CHK	DATE
A		PRODUCTION RELEASE	9/02/04	JLU		9/04/03



6 WHERE SHOWN, USING A PERMANENT MARKING METHOD
MARK PART NUMBER AND REVISION APPROX

5 REMOVE INSULATION AND SOLDER TO BOBBIN LEADS

4 WIND BOTH COILS EVENLY SPACED ON BOBBIN
CONSTRUCTION:

INSURE INTERGRITY OF WINDING SEPARATION
HI-POT TEST FOR INTERWINDING ISOLATION, 1250VDC TO
WIRE SIZE DIAMETER = 1.0 MILLIMETER
NUMBER OF TURNS = 16
DCR = 0.03 MILLI-OHMS MAX
CURRENT RATING = 6A AC
L = 1.00 mH MIN @ 10 KHZ, 0.250 Vrms:
3 SPECIFICATIONS@ 25 °C

2 WIRE: UL RECOGNIZED 130° RATED MAGNET WIRE
CWS BYTEMARK OR OTHER APPROVED PART
CORE: SINGLE PIECE FERRITE H CORE

1 BOBBIN RATING CLASS B (130°) REQUIRED
MATERIAL: UL RECOGNIZED 94V-0 FOR FLAMMABILITY
NOTES: UNLESS OTHERWISE SPECIFIED.

QTY	UM	CODE IDENT	MFG. P/N	DESCRIPTION	ITEM NO.
		X		PARTS LIST	
AUTOCAD SOLIDWORKS SIGN		DATE	CWS Coil Winding Specialist. www.cwils.com		
UNLESS OTHERWISE SPECIFIED		DATE	1510 E. Edinger Ave Unit B, Santa Ana, CA 92705		
PAINSPRING AND TOLERANCE PER ANSI Y14.5M		DATE	Common Mode Line Filter		
ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]		DATE	Horizontal Mount Chokes		
TOLERANCE INCHES		DATE	SIZE DIM. IN.		
XXXX±.010 .XX±.015		DATE	B		
TOLERANCE METERS		DATE	35H_1K0		
XXXX±.254 .XX±.38		DATE	SCALE 1=1		
ANGLE PROJECTION		DATE	SHEET 1 OF 1		
DO NOT SCALE DRAWING		DATE	REV A		